

- Homalium pachyphyllum*, 243
Horsfieldia Lauterbachii, 213
 — *tuberculata*, 213
 Horticultural variations, Note on the names, 65
 HU, H. H., Two new species of *Carpinus* from Szechuan, 154
Humata parvula, 271
 — *tenuis*, 179, 271
Hydnophytum amplifolium, 270
 — *Brassii*, 270
 — *camporum*, 270
Hymenolepis spicata, 272
Hymenophyllum longifolium, 175, 271
Hypericum kouytchense, 134
 — *spec.*, 135
Hypserpa polyandra, 212
Hyptis suaveolens, 273
Ichnocarpus frutescens, 262
 International Rules of Botanical Nomenclature, Proposed Amendments to the, 46
Isachne Brassii, 273
Ischaemum digitatum, 272
 — *muticum*, 272
Ixora Brassii, 269
 — *ihuensis*, 269
Jambosa goniocalyx, 251
 — **hylocharis**, 83, 252
 — **naiadum**, 82, 251
 — *nutans*, 251
 — **Sargentiana**, 83, 252
 — *spec.*, 252, 253
 — *trachyantha*, 251
 — *Versteegii*, 83, 252
 — *vulgaris*, 252
Jasminum aemulum, 259
 — *pseudanastomosans*, 259
 — *Turneri*, 259
Josephinia grandiflora, 273
Jossinia desmantha, 82, 251
Juglans major, 33
 — *rupestris*, 33
Juniperus formosana, 110
 — *Mairei*, 110
 — *monosperma*, 31
 — *pachyphloea*, 31
Jussiaea villosa, 273
Justicia Chalmersii, 266
Kadsura Cavaleriei, 191
 — *chinensis*, 190
Kentrochrosia monocarpa, 262
Keteleeria Davidiana, 109
 — *Esquirolii*, 110
 Key to the Conifers based on leaf characters, 196
Kibara spec., 214
Kleinhovia hospita, 240
Koeberlinia spinosa, 39
Krameria glandulosa, 39
Lagerstroemia Archeriana, 245
 — *Koehneana*, 245
Laphamia rupestris, 45
Lasianthus spec., 270
Leconopteris sinuosa, 272
Leea sambucina, 237
Lepidagathis hyalina, 274
Leptaspis urceolata, 273
Leptochloa scabra, 273
 — *virgata*, 273
Leucaena retusa, 39
 Léveillé, H., Notes on the Ligneous plants described from Eastern Asia by, 108, 184
 Library, The Arnold Arboretum during the Fiscal year ended June 30, 1929, 279
 Ligneous flora of the Davis mountains, Texas, The, 8
 Ligneous plants collected in the Territory of Papua (British New Guinea) in 1925-26 by L. J. Brass, 197
Ligustrum novoguineense, 259
Lindera Bodinieri, 194
 — *Cavaleriei*, 192
 — *Dielsii*, 194
 — *megaphylla*, 194
 — *yunnanensis*, 194
Lindsaya sessilis, 179, 271
 — *tenuifolia*, 271
Lippia ligustrina, 43
 — *Wrightii*, 43
Lithocarpus aculeata, 132
 — **aspericupula**, 132
 — *aspericupula*, 205
 — **bancana**, 132
 — **Blumeana**, 132
 — **boholensis**, 132
 — **borneensis**, 132
 — **Cantleyana**, 132
 — **Ewyckii**, 132
 — **Falconeri**, 133
 — *Lauterbachii*, 205
 — **luzoniensis**, 133
 — **minahassae**, 133
 — **Nymanniana**, 133
 — **papuana**, 133
 — **rizalensis**, 133
 — **rufo-villosa**, 133
 — *rufo-villosa*, 205
 — *spec.*, 120
 — *spicata*, 120
 — — **placentaria**, 133

- Lithocarpus* **Vidalii**, 134
Litsaea **Dielsii**, 194
— *Dunniana*, 193
— *Esquirolii*, 194
Litsea **Brassii**, 214
— *Cavaleriei*, 194
— *citrata*, 194
— *cubeba*, 194
— **domarensis**, 215
— *touyunensis*, 194
— *undulatifolia*, 193
Lomagramme *articulata*, 271
Lonicera *albiflora dumosa*, 44
Loranthus *dolichocladus*, 210
— *oxycladus*, 210
— spec., 210
Lumnitzera *littorea*, 250
— *racemosa*, 251
Lunasia *quercifolia*, 226
— — *lanceolata*, 226
Lycopodium **Brassii**, 174, 272
— *cernuum*, 272
— *Dielsii*, 272
Lygodium *circinatum*, 272
— *dimorphum*, 272
— *flexuosum*, 272
— *Kingii*, 272
— *scandens*, 272
Maba spec., 259
Macaranga *aleuritoides*, 232
— **Brassii**, 78, 232
— *chrysotricha glaucescens*, 78, 233
— *densiflora*, 233
— *quadriglandulosa*, 232
— spec., 233
— *subpeltata*, 232
Machilus *Cavaleriei*, 192
— *Dominii*, 192
— *Dunnianus*, 192
— *Mairei*, 192
Macrosiphonia *brachysiphon*, 43
Maesa *polybotrya*, 257
— *protracta*, 258
— *singuliflora*, 121
— spec., 258
Magnolia *denudata*, 56
— *Martini*, 190
Mahonia *confusa*, 190
— *ganpinensis*, 190
— *haematocarpa*, 35
— *trifoliata*, 35
— *Zemanii*, 190
Malaisia *scandens*, 205
— *tortuosa*, 205
Mallotus *floribundus pilosus*, 232
— *muricatus Walkerae*, 232
— *neo-Cavaleriei*, 185
— *oblongifolius*, 232
— *philippinensis*, 232
— *repandus*, 232
— *ricinoides*, 232
Mangifera *minor*, 234
Maniltoa *Hunsteiniana*, 220
— *lenticellata*, 220
— spec., 220
Marattia **platybasis**, 174, 272
Mastixiodendron *pachyclados*, 257
MARTELLI, U., Pandanaceae collected for the
Arnold Arboretum by L. J. Brass in New
Guinea, 137, pl. 18
Medinilla *crassinervis*, 254
— *quintuplinervis*, 254
— *Teysmanni*, 254
Melaleuca spec., 253
Melastoma *polyanthum*, 254
Melicope **parviflora**, 226
Melochia *odorata*, 239
— *umbellata*, 239
— *vitiensis*, 239
Melodorum *retusum*, 191
Menodora **hispida**, 43
— *longiflora*, 43
Merinthosorus *drynarioides*, 182, 272
Metastelma *plumosa*, 43
Michelia *Cavaleriei*, 190
— *Leveilleana*, 190
— *Martini*, 190
Microcos **Brassii**, 238
Micromelum *minutum intermedium*, 227
Microrhamnus *ericoides*, 40
Microsorium **Brassii**, 181, 272
Miliusa *sinensis*, 191
Mimosa *biuncifera*, 39
Mimusops *Elengi parvifolia*, 258
Miscanthus *japonicus*, 272
Modecca *populifolia*, 244
Morinda *citrifolia*, 270
— spec. 270
Morus *acidosa*, 123
— *australis*, 123
— *Cavaleriei*, 123
— *inusitata*, 123
— *microphylla*, 35
Mucuna **Bennettii**, 223
— *Warburgii*, 223
Muehlenbeckia *platyclados*, 211
Mussaenda *pluviatilis*, 267
— *ornata*, 267

- Mussaenda* spec., 267
Myrica Cavaleriei, 122
— *Esquirolii*, 108
— *rubra*, 118
Myristica Buchneriana, 213
— *fatua papuana*, 77, 214
— *Hollrungii*, 213
— *lepidota*, 214
— spec., 214
— *subalulata*, 214
— *subcordata*, 214
Neolitsea spec., 193
Neomammillaria Pottsii, 42
Neonauclea Brassii, 266
— *Chalmersii*, 266
— spec., 266
Nepenthes mirabilis, 217
— *phyllamphora*, 217
Nephrolepis biserrata, 271
Nephrolepis spec., 271
Neuwiedia calanthoides, 273
New Guinea, *Ficus* species collected for the Arnold Arboretum by L. J. Brass in, 142
New Guinea, Ligneous plants collected in the Territory of Papua (British New Guinea) in 1925-26 by L. J. Brass, 197
New Guinea, Pandanaceae collected for the Arnold Arboretum by L. J. Brass in, 137
New species, varieties and combinations from the Herbarium and the Collections of the Arnold Arboretum, 132
Nicotiana Tabacum, 273
Nipa fruticans, 203
Nolina texana, 32
Notaphoebe omeiensis, 192
Note on the names of horticultural variations, 65
Notes on the ligneous plants described by H. Léveillé from Eastern Asia, 108, 184
Notothixos leiophyllos, 211
Oberonia diura, 273
Ochthocharis borneensis, 254
Ocimum basilicum, 273
Octamyrtus Behrmannii, 251
Octomeles moluccana, 244
— *sumatrana*, 244
Oldenlandia Aparine, 274
— *paniculata*, 274
Ophiorhiza spec., 274
Oplismenus hirtellus, 273
Opuntia Engelmannii, 42
— *imbricata*, 41
— *Kleiniae*, 41
— *leptocaulis*, 41
Opuntia macrocentra, 42
— *polyacantha*, 42
— *strigil*, 42
Orchids collected by J. F. Rock on the Arnold Arboretum expedition to northwestern China and northeastern Tibet, 169
Orchis chusua, 170
— *salina*, 170
— *spathulata*, 170
Oreorchis Rockii, 173
Ormocarpum cochinchinense, 221
Osbornia octodonta, 253
Osmelia philippina, 243
Otanthera setulosa, 253
Padus pumicea, 37
PALMER, ERNEST J., The ligneous flora of the Davis Mountains, Texas, 8
Pandanaceae collected for the Arnold Arboretum by L. J. Brass in New Guinea, 137
Pandanus Brassii, 139, 202, pl. 18A
— *ihuanus*, 141, 202
— *kivi*, 140, 202
— *Lauterbachii*, 141, 202
— *leptocarpus*, 140, 202
— *odoratissimus*, 138
— *pendulinus*, 142, 202, pl. 18B
— *scabribracteatus*, 139, 202
— *tectorius*, 138, 202
Pangium edule, 243
Panicum pilipes, 273
Papua (British New Guinea), Ligneous plants collected in 1925-26 by L. J. Brass, in the Territory of, 197
Papualthia spec., 212
Papuan Pteridophytes collected for the Arnold Arboretum by L. J. Brass, 174
Papuechites aambe, 262
Parabaena tuberculata, 212
Paramignya Brassii, 227
Parsonsia curvisepala, 262
— *lata*, 262
Parthenocissus quinquefolia, 41
— *vitacea*, 41
Pasania aculeata, 132
— *aspericupula*, 205
— *aspericupula*, 132
— *bancana*, 132
— *Blumeana*, 132
— *Cantleyana*, 132
— *Ewyckii*, 133
— *Falkoneri*, 133
— *Nymanniana*, 133
— *papuana*, 133
— *rufo-villosa*, 205

- Pasania rufo-villosa*, 133
 — *spicata placentaria*, 134
Paspalum cartilagineum, 272
 — *orbiculare*, 272
 — *vaginatum*, 272
 Pathological Laboratory, The Arnold Arboretum during the Fiscal year ended June 30, 1929, 276
Pavetta platyclada, 269
Pennisetum macrostachyum, 273
Peridermium ingenum, 156
Peristrophe jalappaefolia, 274
Peristylus monanthus, 171
Pertya discolor, 135
Phacidium infestans, 5
Phaleria spec., 245
Philadelphus argenteus, 36
 — *argyrocalyx*, 36
Philadelphus, Chromosomes of some species of the genus, 167
Philiberta crispa, 43
Phlox Stansburyi, 43
Phoradendron Coryae, 35
 — *Engelmannii*, 35
 — *juniperinum*, 35
Photinopteris drynarioides, 182
Phylacium bracteosum, 221
Phyllanthus lamprophyllus, 230
 — *rubriflorus*, 230
 — *spec.*, 230
Pimeleodendron papuanum, 233
Pinus Argyi, 109
 — *Armandi*, 108
 — *Cavaleriei*, 109
 — *cembroides edulis*, 31
 — *densiflora*, 109
 — *flexilis reflexa*, 31
 — *Komarovi*, 108
 — *levis*, 108
 — *Massoniana*, 109
 — *nana*, 109
 — *ponderosa*, 31
 — *sinensis*, 109
 — *tabulaeformis*, 109
Piper arbuscula, 204
 — *Brassii*, 204
 — *corylistachyopse*, 204
 — *flavifructum*, 204
 — *fragrans*, 204
 — *melula*, 204
 — *orianum*, 204
 — *pavimentifolium*, 204
 — *pullibaccum*, 204
 — *rhizocaulis*, 204
Piper rhodocarpum, 204
 — *viridibaccum*, 204
Piptadenia novoguineensis, 219
Pirus brunnea, 194
Pisonia longirostris, 211
 — *umbellifera*, 211
Planchonella obovata, 258
Planchonia timorensis, 246
Plectronia suborbicularis, 268
Plerandra Stahlian, 255
Pluchea indica, 271
Podocarpus Mairei, 110
 — *neriifolius*, 108, 200
Pogonatherum paniceum, 272
Poikilogyne cordifolia, 254
Polygonum emodi dependens, 184
 — *Mairei*, 184
 — *multiflorum*, 185, 283
 — *Statice*, 283
 — *Statice*, 185
 — *urophyllum*, 184
 — *zigzag*, 184
Polypodium accedens, 272
 — *glossipes*, 272
 — *nigrescens*, 272
 — *punctatum*, 272
 — *Scolopendria*, 272
Polyporandra scandens, 235
Polyscias Forbesii, 255
 — *spec.*, 255
Polystichum accedens, 271
 — *lastreoides*, 177, 271
Polytoca macrophylla, 273
Pongamia pinnata, 272
 — *— velutina*, 272
Popowia polytricha, 76, 213
Populus balsamifera, 55
 — *Bonati*, 112
 — *Bonatii*, 112
 — *Macdougalii*, 33
 — *macranthela*, 111
 — *rotundifolia macranthela*, 112
 — *tremuloides aurea*, 32
 — *Wislizeni*, 32
Premna integrifolia, 70, 263
 Proposed amendments to the International Rules of Botanical Nomenclature, 46
Prosopis juliflora velutina, 39
Prunus Murrayana, 38
 — *virens*, 37
 — *virginiana*, 55
 — *— melanocarpa*, 37
 — *— pumicea*, 37
Pseuderanthemum variabile, 274

- Psilotum triquetrum*, 272
Psoralea badocana, 273
Psychotria Brassii, 269
— *Beccarii*, 269
— *lolokiensis*, 269
— *montensis*, 269
— *reticulatissima*, 269
— *spec.*, 269, 270
Ptelea polyadenia, 39
Pteridophytes collected for the Arnold Arboretum by L. J. Brass, Papuan, 174
Pteris Beccariana, 272
— *pacifica*, 272
Pterocarpus indicus, 222
Pteroceltis Tatarinowii, 123
Pucciniastrum americanum, 156
— *arcticum*, 156
Pucciniastrum americanum (Farlow) Arthur and P. *arcticum* (Lagerheim) Tranzschel, Cultures of, 156
Pygeum spec., 218
Quercus acuta, 122
— *Argyi*, 120
— *bancana*, 132
— *Blumeana*, 132
— *boholensis*, 132
— *borneensis*, 132
— *brunnea*, 118
— *Cantleyana*, 132
— *Castanopsis*, 119
— *Cavaleriei*, 119
— *cepifera*, 119, 120
— *coreana*, 120
— *cryptoneuron*, 119
— *depressa*, 133
— *Emoryi*, 34
— — \times *hypoleuca*, 34
— *Ewyckii*, 132
— *Falconeri*, 133
— *Franchetiana*, 119
— *funnebris*, 121
— *glandulifera*, 120
— *glauca*, 121
— *grandifrons*, 133
— *grisea*, 33
— *guyavaefolia*, 121
— *hypoleuca*, 34
— *inconstans*, 34
— *kasaiensis*, 122
— *kasaimok*, 122
— *lamponga*, 133
— *luzoniensis*, 133
— *Mairei*, 120
— *minahassae*, 133
Quercus mongolica, 120
— — *liaotungensis funnebris*, 121
Quercus Muhlenbergii, 33
— *novomexicana*, 33
— *phillyreoides*, 121
— *pinfaensis*, 119
— *placentaria*, 133
— *Prairiana*, 121
— *pseudoglauca*, 122
— *pseudo-molucca papuana*, 133
— *quelpaertensis*, 122
— *reticulata*, 33
— *rizalensis*, 133
— *rubra*, 54
— *serrata*, 120
— *spec.*, 122
— *spicata depressa*, 133
— — *placentaria*, 133
— *Taquetii*, 121
— *texana*, 34
— — *chisosensis*, 34
— — *stellipila*, 34
— *trinervis*, 119
— *undulata*, 33
— *Vaniotii*, 121
— *Vidalii*, 134
Quisqualis indica, 250
Randia ixoraeflora, 267
— *spec.*, 267
— *suavissima*, 267
Reevesia Cavaleriei, 196
REHDER, ALFRED, New species, varieties and combinations from the herbarium and the collections of the Arnold Arboretum, 132
— —, Notes on the ligneous plants described by H. Léveillé from Eastern Asia, 108, 184
— —, Proposed amendments to the International Rules of Botanical Nomenclature, 46
— —, Two new *Rhododendrons* of the *Tsutsutsi* section, 182
Rhamnus fasciculata, 40
— *Purshiana*, 40
Rhizophora apiculata, 247
— *conjugata*, 247
— *candelaria*, 247
— *mucronata*, 247
— — *stylosa*, 247
Rhododendron annamense, 182
— *mesembrinum*, 183
— *Simsii mesembrinum*, 183
Rhododendrons of the *Tsutsutsi* section, Two new, 182
Rhodomyrtus trineura, 251

- Rhus copallina lanceolata*, 39
 — *microphylla*, 40
 — *retusa*, 235
 — *Rydbergii*, 40
 — *trilobata*, 39
 — *virens*, 39
Rhyssopterys timorensis, 229
Ribes leptanthum, 36
Rinorea amboinensis, 242
 — *spec.*, 242
Rivina humilis, 35
 Rock, J. F., Orchids collected on the Arnold Arboretum expedition to northwestern China and northeastern Tibet by, 169
Rosa Banksiae, 91
 — *Banksiae*, 92
 — — *aculeata*, 91
 — — — *fl. pleno albo*, 91
 — — *albiflora*, 92
 — — *albo-pleno*, 91
 — — *lutea*, 92
 — — *luteiflora*, 92
 — — *normalis*, 92
 — — *subinermis*, 91, 92
 — — — *fl. pleno albo*, 91
 — — — *fl. semipleno albo*, 91
 — — — *fl. simpl.*, 92
 — *bengalensis*, 96
 — *Blinii*, 86
 — *Brownii*, 87
 — *Brunonii*, 87
 — *Brunoni*, 87
 — *cathayensis*, 85
 — *centifolia*, 86
 — *Charbonneaui*, 89
 — *chinensis*, 96
 — — *fragrans*, 93
 — — *indica*, 93
 — — *pseudindica*, 94
 — — *semperflorens*, 97
 — *clavigera*, 87
 — *damascena*, 86
 — — *brachyacantha*, 85
 — — *floribus semiplenis*, 86, 87
 — — *floribus simplicibus*, 85
 — *Davidi elongata*, 99
 — *Demareei*, 36
 — *diffusa*, 86
 — *diversiflora*, 97
 — *Duclouxii*, 94
 — *floribunda*, 88
 — *florida*, 86
 — *Forrestii*, 97
 — *Fortuneana*, 94
Rosa "*Fortune's Double Yellow*," 94
 — *fragrans*, 93
 — *gechouitangensis*, 93
 — *gigantea*, 94
 — — *erubescens*, 96
 — *glomerata*, 91
 — *Grevillii*, 86
 — *Helena*, 88
 — *indica*, 96
 — — *ochroleuca*, 93
 — — *odorata*, 93
 — — *odoratissima*, 93
 — — *sulphurea*, 93
 — — *vulgaris*, 96
 — *iochanensis*, 100
 — *irridens*, 89
 — *Lebrunei*, 86
 — *longicuspis*, 88
 — *lucens*, 89
 — *Luciae*, 85
 — *macrocarpa*, 94
 — *macrophylla*, 87
 — *macrophylla gracilis*, 99, 100
 — — *parce glandulosa*, 100
 — — *robusta*, 99
 — *Mairei*, 103
 — — *plurijuga*, 104
 — *microphylla*, 97
 — *moschata*, 87
 — — *hupehensis*, 90
 — — *nepalensis*, 87
 — — *yunnanensis*, 89, 90
 — *Moyesii*, 100
 — — *rosea*, 100
 — *multibracteata*, 101
 — *multiflora*, 85, 86
 — — *brachyacantha*, 85, 86
 — — *carnea*, 86
 — — — *platyphylla*, 87
 — — *cathayensis*, 85
 — — *platyphylla*, 87
 — — *plena*, 86
 — *nankinensis*, 96
 — *odorata*, 93
 — — *gigantea*, 94
 — — — *erubescens*, 96
 — — *pseudindica*, 94
 — *odoratissima*, 93
 — *omeiensis*, 102
 — — *pteracantha*, 103
 — *orbicularis*, 101
 — *oulengensis*, 93
 — *Parmentieri*, 99
 — *praelucens*, 97

- Rosa pseudindica*, 94
 — *pubescens*, 87
 — *reducta*, 101
 — *Roxburghii*, 97
 — *Roxburghii*, 86, 97
 — — *normalis*, 97
 — *rubeoides*, 86
 — *Rubus*, 90
 — — *yunnanensis*, 90
 — *rugosa Chamissoniana plena*, 98
 — — *plena*, 98
 — — *rubro-plena*, 98
 — *semperflorens*, 96, 97
 — *sempervirens*, 89
 — *sericea*, 102
 — *sericea*, 102, 103
 — — *aculeata*, 102
 — — — *eglandulosa*, 102
 — — *denudata*, 102
 — — *eglandulosa*, 102
 — — *fructu rubro aculeis decurrentibus*, 103
 — — *glabrescens*, 102
 — — *inermis*, 102
 — — — *eglandulosa*, 102
 — — *intermedia*, 102
 — — *pteracantha*, 103
 — *sertata*, 100
 — *sinica*, 96
 — *Sinowilsonii*, 89
 — *Sorbus*, 102
 — *Soulieana*, 90
 — *Soulieana*, 89
 — *Sweginzowii*, 99
 — *tetrapetala*, 102
 — *Thea*, 93
 — *Thoryi*, 87
 — *tongtchouanensis*, 93
 — *Wallichii*, 102
 — *Webbiana*, 100
 — *Willmottiana*, 89
 — *xanthocarpa*, 94
 Roses of Yunnan, An enumeration of the, 84
Rottboellia ophiuroides, 273
Rubus glomeratus, 218
 — *rosaefolius*, 218
Ruellia Forbesii, 274
Salacia prinoides, 235
Salix amygdalina, 114
 — — *nipponica*, 113
 — *andropogon*, 117
 — *angiolepis*, 113
 — *anisandra*, 113
 — *Argyi*, 112
 — *babylonica*, 115
Salix Blinii, 117
 — *Camusii*, 115
 — *Caprea*, 116
 — *Cavaleriei*, 113
 — *dodecandra*, 112
 — *dolichostyla hirosakensis*, 114
 — *Duclouxii*, 117
 — *Duclouxii*, 117
 — — *kouytchensis*, 117
 — *eriolada*, 115
 — *Feddei*, 114
 — *funebri*, 116
 — *Goodingii*, 32
 — *gymnolepis*, 114
 — *hallaisanensis*, 116
 — — *nervosa*, 116
 — *hamatidens*, 114
 — *hondoensis*, 114
 — *ignicoma*, 115
 — *japonica*, 116
 — — *nipponensis*, 116
 — *Kinashii*, 114
 — *koreensis*, 114
 — *korsakoviensis*, 117
 — *kouytchensis*, 117
 — *lasiolepis*, 32
 — *longifolia angustissima*, 32
 — *luctuosa*, 115
 — *Mairei*, 116
 — *Makinoana*, 114
 — *pachyclada*, 116
 — *pogonandra*, 114
 — *polyandra*, 113
 — *pseudo-Gilgiana*, 114
 — *pseudo-jessoensis*, 114
 — *pseudo-lasiogyne*, 114
 — *Pyi*, 113
 — *sachalinensis*, 117
 — *sapporoensis*, 117
 — *Shirai vulcaniana*, 115
 — *Taquetii*, 117
 — *taxifolia*, 32
 — *vulpina*, 115
 — *Wallichiana*, 116
 — *Wilsonii*, 112
 — *yunnanensis*, 113
Sambucus coerulea, 44
 — — *arizonica*, 44
Santalum papuanum, 211
Santiria acuminata, 227
Sapindus Drummondii, 40
Sapium indicum, 233
Sarcocephalus cordatus, 267
Saurauia Andreana, 241

- Saurauia Brassii*, 81, 240
 — *conferta*, 241
 — *Dufaurii*, 241
 — *pleurotricha*, 80, 240
 — *spec.*, 241
Scaevola frutescens, 270
 — *Koenigii*, 270
 — *novo-guineensis*, 270
Schefflera bractescens, 257
 — *spec.*, 257
Schizaea dichotoma, 272
Schizandra Henryi, 191
 — *hypoglauca*, 191
 — *propinqua*, 191
Schizomeria floribunda, 217
Schizostachyum Brassii, 203
Schoepfia jasminodora, 131
Schurmannsia Henningsii, 241
 SCHWEINFURTH, CHARLES, Orchids collected
 by J. F. Rock on the Arnold Arboretum
 expedition to northwestern China and
 northeastern Tibet, 169
Scolopia nitida, 243
Scyphiphora hydrophyllacea, 267
Selaginella Belangeri, 272
 — *gracilis*, 272
 — *Hellwigii*, 272
 — *Hieronymiana forma*, 272
 — *Hindsii*, 272
Semecarpus australiensis, 234
 — *spec.*, 235
 — *undulata*, 234
Senecio filifolius, 45
 — *Riddellii*, 45
Serianthes Ledermannii, 219
Sida rhombifolia, 238
Smilax Blinii, 110
 — *castaneiflora*, 111
 — *Darrisii*, 111
 — *ferox*, 110
 — *glabra*, 110
 — *leucophylla*, 203
 — *loupouensis*, 110
 — *luteocaulis*, 111
 — *Mairei*, 111
Solanum torvum, 264
 — *verbascifolium*, 265
Sonneratia alba, 245
 — *lanceolata*, 245
Sophora secundiflora, 39
 — — *xanthosperma*, 134
Sphaerostephanos polycarpa, 271
Sphenomeris decipiens, 271
Stachytarpheta dichotoma, 273
Stegantthera insignis, 214
Stenochlaena palustris, 272
Stephania hernandiaefolia, 211
Sterculia ampla, 240
Strongylodon lucidus, 223
 — *spec.*, 223
 SUMMERHAYES, V. S., *Ficus* species collected
 for the Arnold Arboretum in New Guinea,
 by L. J. Brass, 142
Suriana maritima, 227
Symphoricarpus oreophilus, 44
Synaedrys Cantleyana, 132
 — *Ewyckii*, 133
 — *Falconeri*, 133
 — *luzoniensis*, 133
Synedrella nodiflora, 274
Syzygium Branderhorstii, 253
Tabernaemontana aurantiaca, 260
Tecoma stans angustifolia, 44
Tectaria craspedocarpa, 178, 271
 — *irregularis*, 271
 — *menyanthidis*, 271
 — *spec.*, 271
 — *Weinlandii*, 177, 271
Terminalia catappa, 249
 — *complanata*, 249
 — *latialata*, 249
 — *Okari*, 249
 — *spec.*, 249
Ternstroemia megacarpa, 241
Tetrastigma Lauterbachianum, 257
 — *spec.*, 237
Teysmanniodendron bogoriense, 70, 263
Themeda gigantea, 273
 — *triandra*, 273
Thespesia populnea, 239
Thunbergia fragrans, 274
Timonius Brassii, 268
 — *merokensis*, 268
 — *spec.*, 268
 — *sylvestris*, 268
 — *Whiteanus*, 268
Tournefortia mollis, 263
 — *sarmentosa*, 263
Toxocarpus cyclosepalus, 84, 262
 — *spec.*, 262
Trema Dunniana, 123
 — *orientalis*, 123
 — *virgata*, 205
Trichomanes aphlebioides, 271
 — *atrovirens*, 175, 271
 — *cupressoides*, 271
 — *grande*, 271
 — *rhomboideum*, 175

- Trichomanes spec., 271
 Tristellateia australasica, 229
 Triumfetta Bartramia, 238
 — *rhomboidea*, 238
 Trixis angustifolia, 45
 — *californica*, 45
 Turraea pubescens, 228
 Two new Rhodendrons of the Tsutsutsi section, 182
 Two new species of Carpinus from Szechuan, 154
Ulmus Cavaleriei, 123
 Uncaria appendiculata, 266
 — *sclerophylla*, 266
 Ungnadia speciosa, 40
 Uraria lagopodioides, 221
 Urena lobata, 238
 Urophyllum britannicum, 267
Uvaria Cavaleriei, 192
Vaccinium Cavaleriei, 132
Vanieria cochinchinensis, 205
 Verbenaceae of British Papua collected for the Arnold Arboretum by L. J. Brass, The, 69
Vigna lutea, 224
Vigna marina, 224
Vinca rosea alba, 273
 Vitex negundo, 264
 Vitis arizonica, 41
 Vittaria zosterifolia, 272
 Voacanga papuana, 261
 Wendlandia buddleacea, 266
 WHITE, C. T., Ligneous plants collected in the Territory of Papua (British New Guinea) in 1925-26 by L. J. Brass, 197
 Widdringtonia juniperoides, 1, pl. 15
 WILSON, ERNEST H., Widdringtonia juniperoides, 1, pl. 15
Xanthophyllum suberosum, 229
Xanthophytum papuanum, 266
Xenadendron spec., 246
Ximenia americana, 211
Xylocarpus granatum, 228
 — *moluccensis*, 228
Xylophia papuana, 213
Yucca constricta, 32
 — *elata*, 32
 — *macrocarpa*, 32
 Yunnan, An enumeration of the Roses of, 84
Zornia diphylla, 273

